

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60188111 0001

Berichtsnummer *Report No.:*

DE26XO8S 001

Genehmigungsinhaber *License Holder:*

Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Fertigungsstätte *Manufacturing Site:*

Brunner GmbH
Stühle, Tische, Objektmöbel
Im Salmenkopf 10
77866 Rheinau
Deutschland

Prüfzeichen *Test Mark:*

Geprüft nach *Tested according to:*

DIN EN 15372/03.24
AfPS GS 2019:01 PAK

Geräteidentifikation
Product Identification

Produkt: Tisch
Product: (Table)

Modell: Modelle sind auf nächste(r) Seite(n) gelistet
Type: Type designation(s) are listed on the next page(s)

Technische Daten: Konferenztische "ray table" ohne Elektrifizierung /
Technical Data: Conference tables "ray table" without electrical components
Modell / Model "9312" und/and Modell / Model "9314"

Die Tische entsprechen nach DIN 15372:2024, Prüfstufe 3 / The Tables fulfills the requirements according to DIN 15372:2024, test level 3


Produktübersicht siehe Anlage (4 Seiten) / Product overview see Appendix (4 pages)
Ersetzt Zertifikat Nr. / Supersedes certificate No. 60157640-0001
Parent-ID: 0000066403

Gültig bis: 2031-07-21
Date of expiry:

Gültig ab: 2026-07-22
Valid from:

Ausstellungsdatum: 2026-07-15
Date of issue:

Zertifizierungsstelle:
Certification body:


C. Prosch



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com
Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60188111 0001

Berichtsnummer *Report No.:*

DE26XO8S 001

Produkt *Product:*
Tisch
(Table)
Modell *Type:*
Bezeichnung *Designation:*
Konferenztische "ray table" ohne Elektrifizierung
Modell "9312" und Modell "9314"

Systemtisch mit Untergestell, bestehend aus vier Tischbeinen in Massivholz oder Aluminium-Druckguss und einem Zargenrahmen. Befestigung der Tischplatte über Montageplatte und Kunststoffwinkel.

Tischplatte: Spantischlerplatte, 30 mm dick, beidseitig HPL-beschichtet oder mit Eichenfurnier, umlaufend 2 mm-Kante, r=2 mm

Tischbeine: Eiche-Massivholz / Aluminium-Druckguss

Zargenrahmen: Stahl-Rechteckprofilrohr 70 x 41 mm

Bodengleiter: Kunststoff Ø 24 mm, nicht verstellbar

Modellübersicht:

Modell 9312 Tischbeine aus Aluminium-Druckguss

Modell 9314 Tischbeine aus Massivholz (Eiche)



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60188111 0001

Berichtsnummer *Report No.:*

DE26XO8S 001

Produkt *Product:* Tisch
(Table)

Modell *Type:* **Bezeichnung** *Designation:*

Conference tables "ray table" without electrical components
Model "9312" and Model "9314"

Modular table with a base consisting of four table legs made of solid wood or die-cast aluminum and a frame. The tabletop is secured using a mounting plate and plastic brackets.

Tabletop: Plywood, 30 mm thick, HPL-coated on both sides or with oak veneer, 2 mm edge banding all around, r=2 mm

Table legs: Solid oak / Die-cast aluminum

Frame: Steel rectangular profile tube 70 x 41 mm

Floor glides: Plastic Ø 24 mm, non-adjustable

Model overview:

Model 9312 Table legs made of die-cast aluminum
Model 9314 Table legs made of solid wood (oak)



Anlage zu Appendix to

Zertifikatsnummer Certificate No.

S 60188111 0001

Berichtsnummer Report No.:

DE26XO8S 001

**Produkt/
Product:**

Konferenztische „ray table“ ohne Elektrifizierung
Conference tables “ray table” without electrical components
Modell / Model „9312” und/and Modell / Model „9314”

			
Modellnummer	9314		
Gestell	– Untergestell, bestehend aus einer auf die Gestellgröße abgestimmte Anzahl Tischbeine, in Massivholz Eiche gebeizt nach Eiche Hauskollektion, lackiert, Innenseite optional mit durchlaufender Nut zur Aufnahme der Kabelführung – Zargenrahmen aus Spezial-Rechteckprofilrohr – Längs- und Quertzarge Spezial-Rechteckprofilrohr, beschichtet lava RAL 7021 F5 matt – Befestigung der Tischplatte über Montageplatte in lava und Kunststoffwinkel		
Tischhöhe	74 cm		
Plattenstärke	30 mm		
Furnierverlauf / Dekorverlauf	querfurniert* * Achtung: HPL Holzdekor in Dekorrichtung querlaufend nur bis zu einer Tischplattenlänge von 200 cm möglich!		
Plattenoberflächen und Kante	<table border="0"> <tr> <td>HPL / Nano Tec ABS, BK, CRK*</td> <td>Eichenfurnier BK, CRK*</td> </tr> </table> * Kante passend decklackiert zur Oberfläche (HPL / Nano Tec) oder passend gebeizt zur Oberfläche (Furnier).	HPL / Nano Tec ABS, BK, CRK*	Eichenfurnier BK, CRK*
HPL / Nano Tec ABS, BK, CRK*	Eichenfurnier BK, CRK*		
Maße	 Ø 200 cm  190 x 190 cm  220 x 120 cm 300 x 120 cm* * Eingeschränkte Dekorwahl.  200 x 200 cm 220 x 130 cm 300 x 130 cm* * Eingeschränkte Dekorwahl.		
Standardausführung	– Kante Eiche gebeizt nach Eiche Hauskollektion, lackiert – QuickClick Gleiter Kunststoff (160)		
Varianten und Zubehör	– Kabelführung in einem Tischbein inklusive Abdeckung, lava – QuickClick Gleiter Filz (161)		
Farben	– Beiztöne nach Brunner Hauskollektion		

Zertifizierungsstelle:

Certification body:



www.tuv.com

Ausstellungsdatum: 15.07.2026

Date of issue:


TÜVRheinland®
Precisely Right.

Anlage zu Appendix to

Zertifikatsnummer Certificate No.

S 60188111 0001

Berichtsnummer Report No.:

DE26XO8S 001

Produkt/**Product:**

Konferenztische „ray table“ ohne Elektrifizierung
Conference tables “ray table” without electrical components
Modell / Model „9312” und/and Modell / Model „9314”

model no.

9312

frame

- underframe, consisting of table legs in aluminium die-cast, number of legs depending on size of frame, inner side with continuous groove for receiving optional cable routing
- underframe made of special rectangular section tube
- cross and horizontal brace special rectangular section tube, coated in lava RAL 7021 FS matt
- fixation of table top by means of special plastic angles in inserted screwed joints

table height

74 cm

table top thickness

30 mm

**decor/
veneer direction**

crossways*

* Attention: HPL wood decor in decor direction crossways is only possible up to a table length of 200 cm !

**table top
and edge**

HPL / Nano Tec
ABS, BK, CRK*

beech / oak veneer
BK, CRK*

American walnut veneer
BK, CRK*

* Edge lacquered to match the table top surface (HPL) or stained to match the table top surface (veneer).

dimensions

Ø 200 cm

190 x 190 cm

220 x 120 cm
300 x 120 cm*
380 x 120 cm (2 parts)

* Limited decor selection.

200 x 200 cm 220 x 130 cm	300 x 130 cm* 380 x 130 cm (2 parts)
------------------------------	---

* Limited decor selection.

standard finish

- edge natural beech, lacquered
- table legs polished
- basic gliders plastic (101), black

options and accessories

- edge beech stained according to beech standard range, lacquered
- edge oak stained according to oak standard range, lacquered (with oak veneer)
- table legs chromed
- table legs coated in selected colours
- cable routing in table leg including cover, silver
- basic gliders felt (103) / adjustable gliders plastic (120), black

colours

Coating colours frame

	lava	similar to RAL 7021 FS matt
	stone	similar to RAL 9002 FS matt
	dark root	similar to RAL Design 000 20 00 dura
	golden sand	similar to RAL Design 075 50 10 dura
	steep roof	similar to RAL Design 100 30 05 dura

– stain colours according to Brunner standard range

Zertifizierungs

Certification body:



Ausstellungsdatum: 15.07.2026

Date of issue:

 **TÜVRheinland®**
Precisely Right.

Anlage zu Appendix to

Zertifikatsnummer Certificate No.

S 60188111 0001

Berichtsnummer Report No.:

DE26XO8S 001

Produkt/**Product:**

Konferenztische „ray table“ ohne Elektrifizierung
Conference tables “ray table” without electrical components
Modell / Model „9312” und/and Modell / Model „9314”



model no.	9314		
frame	– underframe consisting of a number of legs depending on table size and frame size, in solid oak wood stained according to oak standard range, lacquered, inner side with continuous groove for receiving optional cable channel – underframe made of special rectangular section tube – cross and horizontal brace special rectangular section tube, coated in lava RAL 7021 FS matt – fixation of table top by means of a mounting plate in lava and plastic angles		
table height	74 cm		
table top thickness	30 mm		
decor/ veneer direction	crossways* * Attention: HPL wood decor in decor direction crossways is only possible up to a table length of 200 cm !		
table top and edge	<table> <tr> <td>HPL / Nano Tec ABS, BK, CRK*</td> <td>oak veneer BK, CRK*</td> </tr> </table> * Edge lacquered to match the table top surface (HPL) or stained to match the table top surface (veneer).	HPL / Nano Tec ABS, BK, CRK*	oak veneer BK, CRK*
HPL / Nano Tec ABS, BK, CRK*	oak veneer BK, CRK*		
dimensions	 Ø 200 cm  190 x 190 cm  220 x 120 cm 300 x 120 cm* * Limited decor selection.  200 x 200 cm 220 x 130 cm 300 x 130 cm* * Limited decor selection.		
standard finish	– edge oak stained according to oak standard range, lacquered – QuickClick gliders plastic (160)		
options and accessories	– cable routing in table leg including cover, lava – QuickClick gliders felt (161)		
colours	– stain colours according to Brunner standard range		

Zertifizierungsstelle:

Certification body



www.tuv.com

Ausstellungsdatum: 15.07.2026

Date of issue:


TÜVRheinland®
Precisely Right.